NC472184TF

NHP POWERMAX DIN-T NC Busbar Chassis 400A 72 Way 4Pole Top Feed RNWNBN





Component type	Distributor assembly busbars
Range	DIN-T NC BC
Model	N/A
Product status	Existing

NHP's POWERMAX DIN-T NC Busbar Chassis are a high-performance, electrical distribution solution. Available in 250A or 400A and designed to provide a quick and easy method to connect DIN-T MCB's and RCBO's. Made of high-quality copper, providing superior conductivity, along with strong durable busbar supports providing high withstand ratings, ensuring a longer lifespan of the electrical system.

	Rated current	400 A
ELECTRICAL	Number of poles	72
	Number of poles, 18mm pitch	72
	Number of phases input	3P+N
	Nominal voltage	415 V
	Short time withstand current lcw, 0.1 sec	30 kA
	Short time withstand current lcw, 0.3 sec	25 kA
CONSTRUCTION	Short time withstand current lcw, 1 sec	13 kA
	Assembly arrangement	18mm pitch
	Material housing	Encapsulated material
	Suitable for devices with N-conductor	Yes
	Tee-off isolator	No
	Capped tee-offs	0.5
DIMENSIONS	Degree of protection (IP)	IP20
	Depth	82 mm
DIMENSIONS	Height (pan)	674 mm